




# POWERTEC 707 PS

## High Security Paper Shredder

The PowerTEC® 707 PS High Security Shredder is NSA/CSS 02-01 approved and supports the top-secret shredding needs of military and government agencies. It features a powerful chain driven motor, an automatic EvenFlow Lubricator, and simple push button operation. This P-7 shredder is NSA rated for high volume shredding and holds up to 53 gallons of waste. It's precision engineered and guaranteed to provide many years of trouble-free operation.



NSA Approved for the destruction of top-secret documents.

### Features | Benefits

- NSA/CSS 02-01 Approved for Top-Secret data destruction
- Chain driven continuous duty motor for slip-free power
- Automatic EvenFlow Lubricator provides continuous oil across the cutting cylinders
- Automatic jam protection eliminates frustration
- LED keypad with easy-to-use controls for simple operation
- Rubber shock mounts suspend the cutting head and reduce vibration
- Self-cleaning mode ensures peak performance
- Automatic On/Off and Bin-Full Auto Off features offer convenience



LED keypad with easy-to-use controls for simple operation.



Security Level



NSA Approved



Chain Driven Motor



EvenFlow Lubricator



Jam Protection




Self-Clean Shredder



Precision Engineered



The PowerTEC® 707 Paper Shredder is precision engineered for high security shredding of confidential documents.



The continuous duty motor won't overheat under frequent use.



Heavy-duty cutting cylinders are designed for top-secret shredding.



Powerful chain-driven motor provides slip-free performance.

### Dahle PowerTEC® 707 PS

Security Level	NSA Approved	Capacity #20 / #16	Shred Size	Waste Volume	Feed Width	Speed feet/min
P-7	Yes	11 / 13	1mm x 5mm	53 gal.	16"	24

Motor	Decibel Level	Warranty machine   cylinders	Dimensions (length x width x height)	Weight	Power Supply
3.5 Hp	55	2 Year   1 Year	21.75" x 28" x 43"	320 lbs	115v

**ADVANTAGE**  
BUSINESS EQUIPMENT

WWW.ABE-Online.com  
TEL: 800-560-2242

\*\* Performance data established using #20 / #16bond 8.5" x 11" paper.  
Different paper qualities may yield different results.

\* TAA Compliant

